In re Application of SRINIVAS GUTTA ET AL.



Atty. Docket

US 010567

Confirmation No. 2684

Serial No. 10/014,180

Group Art Unit: 2167

Filed: NOVEMBER 13, 2001

Examiner: LESLIE WONG

Title:

METHOD AND APPARATUS FOR EVALUATING THE CLOSENESS OF

ITEMS IN A RECOMMENDER OF SUCH ITEMS

Board of Patent Appeals and Interferences 7United States Patent and Trademark Office PO Box 1450 Alexandria, VA 22313-1450

Sir:

Enclosed is an Appeal Brief in the above-identified patent application.

Please charge the fee of \$500.00 to Deposit Account No. 14-1270.

Respectfully submitted,

Dicran Halajian, Reg. 39,703

Attorney

(914) 333-9607 February 9, 2005

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited this date with the United States Postal Service as first-class mail in an envelope addressed to:

COMMISSIONER FOR PATENTS PO Box 1450

Alexandria, VA 22313-1450

On Mailing)

(Signature)

F:\WPDOCS\forms\APPBRF.DOC



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In re Application of

Atty. Docket

SRINIVAS GUTTA ET AL.

US 010567

Confirmation No. 2684

Serial No. 10/014,180

Group Art Unit: 2167

Filed: NOVEMBER 13, 2001

Examiner: LESLIE WONG

Title:

METHOD AND APPARATUS FOR EVALUATING THE CLOSENESS OF

ITEMS IN A RECOMMENDER OF SUCH ITEMS

Board of Patent Appeals and Interferences United States Patent and Trademark Office PO Box 1450 Alexandria, VA 22313-1450

APPEAL BRIEF

Sir:

Appellant herewith respectfully presents its Brief on Appeal as follows:

02/15/2005 MAHMED1 00000057 141270 10014180 01 FC:1402 500.00 DA

REAL PARTY IN INTEREST

The real party in interest is Koninklijke Philips Electronics N.V., a corporation of The Netherlands having an office and a place of business at Groenewoudseweg 1, Eindhoven, Netherlands 5621 BA.

Koninklijke Philips Electronics N.V. is the parent company of the assignee of record U.S. Philips Corporation, a Delaware corporation having an office and a place of business at 345 Scarborough Road, Briarcliff Manor, New York, 10510-8001.

RELATED APPEALS AND INTERFERENCES

To the best of Appellants' knowledge and belief, there are no related appeals or interferences.

STATUS OF CLAIMS

Claims 1-23 are pending in this application. Claims 1-23 are rejected in the Final Office Action that mailed September 13, 2004. This rejection was upheld in an Advisory Action that mailed November 15, 2004. Claims 1-23 are the subject of this appeal.

STATUS OF AMENDMENTS

An Amendment After Final Action was filed October 14, 2004 in response to the Final Office Action. The Advisory Action upheld the rejection in response to that amendment. This Appeal Brief is in response to the Final Office Action that rejected Claims 1-23 and the Advisory Action that upheld that rejection.

SUMMARY OF CLAIMED SUBJECT MATTER

The present invention, for example as claimed in independent Claims 1, 10 and 19-23, relates to a method and/or system for use in a recommender for evaluating the closeness of two items, where each item is characterized by at least one symbolic feature. The system shown in FIG 1 includes a processor 115 configured to perform a method shown in FIG 6 and described below. As shown in FIG 6, item 620 for example, and described in the specification, such as page 16, lines 9-21, and page 19, lines 13-19, the processor is configured to compute a distance between corresponding symbolic feature values of two items based on an overall similarity of classification of all instances for each possible value of the symbolic feature values. Further, as shown in FIG 6, item 630 for example, and described in the specification, such as page 18, lines 21-26, and page 19, lines 20-29, the processor is configured to aggregate or add the distances between each of symbolic feature values to determine the closeness of the two items.

More particularly, claim 4 recites equation 4, described on page 18 of the specification, where the similarity or closeness

between two values is determined by finding the sum of differences of these likelihoods over all classifications. For example, the distance between two television programs is the sum of the distances between corresponding feature values of the two television program vectors.

GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Whether Claims 1-23 of U.S. Patent Application Serial No. 10/041,180 are anticipated under 35 U.S.C. §102(e) by U.S. 6,334,127 B1 (Bieganski). The Appellants respectfully request the Board to address the patentability of independent Claims 1, 10 and 19-23 and further Claims 2-9 and 11-18, as depending thereon, based on the requirements of claims 1 and 10. This position is provided for the specific and stated purpose of simplifying the current issue on appeal. However, the Appellants herein specifically reserve the right to argue and address the patentability of each of the further claims at a later date should the separately patentable subject matter of those claims later become an issue. Accordingly, this limitation of the subject matter presented for appeal herein, specifically limited to discussions of the patentability of claims 1, 10 and 19-23 is not intended as a waiver of Appellants' right to argue the patentability of the further claims and claim elements at that later time.

ARGUMENT

Claims 1-23 are said to be unpatentable over Bieganski.

The Bieganski Patent

Bieganski discloses an electronic processing system for generating a serendipity-weighted recommendation output so that low value recommendations are not made. According to pages 2-3 of the Office Action, distance is equal to serendipity control value Bieganski, where column 14, lines 32-56 of Bieganski teaches aggregating the distances between each of the symbolic feature values to determine the closeness of two items.

There is no teaching or suggestion in Bieganski that the serendipity control value is equal to the distance between corresponding symbolic feature values, as recited in independent claims 1, 10 and 19-23.

Assuming, arguendo, that distance is equal to serendipity control value, it is respectfully submitted that column 14, lines 32-56 of Bieganski teaches <u>multiplying</u> the recommendation value by the serendipity control value. Aggregating or adding distances is

nowhere taught or suggested in Bieganski, let alone adding distances between <u>each</u> of the symbolic feature values to determine the closeness of two items, as recited in independent claims 1, 10 and 19-23.

On page 4 of the Final Office Action, the Examiner alleges that on page 11 of the Amendment mailed on May 26, 2004:

Applicants admitted that Bieganski teaches aggregating the distances between each of the symbolic feature values to determine the closeness of two items.

Applicants respectfully submit that the Examiner has misread the May 26 Amendment. Not only was there no admission of Bieganski teaching aggregating the distances, but there was an assertion that Bieganski does not teach or suggest aggregating or adding distances. The May 26 Amendment refers to the Examiner's allegation of Bieganski teaching aggregating distances on pages 2-3 of the Office Action dated February 26, 2004.

Bieganski merely discloses an electronic processing system for generating a serendipity-weighted recommendation output so that low value recommendations are not made. Bieganski does not teach or suggest that the serendipity control values are equivalent to distances between symbolic features, or aggregating the distances

between <u>each</u> of the symbolic feature values to determine the closeness of two items, as recited in independent claims 1, 10 and 19-23. Rather, Bieganski teaches (column 14, lines 32-56) <u>multiplying</u> the recommendation value by the serendipity control value.

Accordingly, it is respectfully submitted that independent claims 1, 10 and 19-23 be allowed. In addition, as claims 2-9 and 11-18 depend from independent claims 1 and 10, applicants respectfully request that claims 2-9 and 11-18 also be allowed.

CONCLUSION

Claims 1-23 are patentable over Bieganski. Thus the Examiner's rejection of Claims 1-23 should be reversed.

Respectfully submitted,

By Du

Dicran Halajian, Reg 939,703

Attorney

(914) 333-9607

February 9, 2005

APPENDIX A

CLAIMS ON APPEAL

- 1 1. (Previously Presented) A method for use in a recommender
- 2 for evaluating the closeness of two items, each of said items
- 3 characterized by at least one symbolic feature, said method
- 4 comprising the steps of:
- 5 computing a distance between corresponding symbolic feature
- 6 values of said two items based on an overall similarity of
- 7 classification of all instances for each possible value of said
- 8 symbolic feature values; and
- 9 aggregating the distances between each of said symbolic
- 10 feature values to determine the closeness of said two items.
 - 1 2. (Original) The method of claim 1, wherein said computing
 - 2 step employs a Value Difference Metric (VDM) technique to compute
 - 3 said distance between symbolic features.

- 1 3.(Original) The method of claim 1, wherein said computing
- 2 step employs a modified Value Difference Metric (MVDM) technique to
- 3 compute said distance between symbolic features.
- 1 4. (Original) The method of claim 1, wherein said distance, δ ,
- 2 between two values, V1 and V2, for a specific symbolic feature is
- 3 given by:
- $\delta (V1, V2) = \sum |C1i/C1 C2i/C2|^{r}$
- 5 wherein Cli is the number of times V1 was classified into
- 6 class i and C1 is the total number of times V1 occurred in the data
- 7 set.
- 5. (Original) The method of claim 1, wherein said items are
- 2 programs, classes of interest are "watched" and not-watched" and
- 3 wherein said distance, δ, between two values, V1 and V2, for a
- 4 specific symbolic feature is given by:

$$\delta (V1, V2) = \frac{C1_watched}{C1 \ total} - \frac{C2_watched}{C2 \ total} +$$

$$\frac{C1_not_watched}{C1_total} - \frac{C2_not_watched}{C2_total}$$

- 7 wherein Cli is the number of times V1 was classified into
- 8 class i and C1 total is the total number of times V1 occurred in
- 9 the data set.
- 1 6.(Original) The method of claim 1, wherein one of said items
- 2 is a cluster mean.
- 7. (Original) The method of claim 1, wherein said items are
- 2 programs.
- 8. (Original) The method of claim 1, wherein said items are
- 2 content.
- 9. (Original) The method of claim 1, wherein said items are
- 2 products.
- 1 10.(Original) A method for assigning an item to one or more
- 2 groups of items, each of said items characterized by at least one
- 3 symbolic feature, said method comprising the steps of:

- 4 computing a distance between corresponding symbolic feature
- 5 values of said item and at least one item in each of said groups,
- 6 said distance based on an overall similarity of classification of
- 7 all instances for each possible value of said symbolic feature
- 8 values;
- aggregating the distances between each of said features values
- 10 to determine the closeness of said item and at least one item in
- 11 each of said groups; and
- assigning said item to said group associated with a minimum
- 13 distance value.
 - 1 11.(Original) The method of claim 10, wherein said computing
 - 2 step employs a Value Difference Metric (VDM) technique to compute
 - 3 said distance between symbolic features.
 - 1 12. (Original) The method of claim 10, wherein said computing
 - 2 step employs a modified Value Difference Metric (MVDM) technique to
 - 3 compute said distance between symbolic features.

- 1 13.(Original) The method of claim 10, wherein said distance,
- δ , between two values, V1 and V2, for a specific symbolic feature
- 3 is given by:
- $\delta(V1, V2) = \sum |C1i/C1 C2i/C2|^r$
- 5 wherein Cli is the number of times V1 was classified into
- 6 class i and C1 is the total number of times V1 occurred in the data
- 7 set.
- 1 14. (Original) The method of claim 10, wherein said items are
- 2 programs, classes of interest are "watched" and not-watched" and
- 3 wherein said distance, δ, between two values, V1 and V2, for a
- 4 specific symbolic feature is given by:

$$\delta (V1, V2) = \left| \frac{C1_watched}{C1_total} - \frac{C2_watched}{C2_total} \right| +$$

$$\frac{C1_not_watched}{C1_total} - \frac{C2_not_watched}{C2_total}$$

- 7 wherein Cli is the number of times V1 was classified into
- 8 class i and C1_total is the total number of times V1 occurred in
- 9 the data set.

- 1 15. (Original) The method of claim 10, wherein one of said
- 2 items is a cluster mean.
- 1 16.(Original) The method of claim 10, wherein said items are
- 2 programs.
- 1 17.(Original) The method of claim 10, wherein said items are
- 2 content.
- 1 18. (Original) The method of claim 10, wherein said items are
- 2 products.
- 1 19. (Original) A system for use in a recommender for
- 2 evaluating the closeness of two items, each of said items
- 3 characterized by at least one symbolic feature, comprising:
- a memory for storing computer readable code; and
- a processor operatively coupled to said memory, said processor
- 6 configured to:
- 7 compute a distance between corresponding symbolic feature
- 8 values of said two items based on an overall similarity of

- 9 classification of all instances for each possible value of said
- 10 symbolic feature values; and
- aggregate the distances between each of said symbolic features
- 12 values to determine the closeness of said two items.
 - 1 20.(Original) A system for use in a recommender for
 - 2 evaluating the closeness of two items, each of said items
 - 3 characterized by at least one symbolic feature, comprising:
 - 4 means for computing a distance between corresponding symbolic
 - 5 feature values of said two items based on an overall similarity of
 - 6 classification of all instances for each possible value of said
 - 7 symbolic feature values; and
 - 8 means for aggregating the distances between each of said
 - 9 symbolic features values to determine the closeness of said two
- 10 items.
 - 1 21. (Original) An article of manufacture for use with a
 - 2 recommender for evaluating the closeness of two items, each of said
 - 3 items characterized by at least one symbolic feature, comprising:

- 4 a computer readable medium having computer readable code means
- 5 embodied thereon, said computer readable program code means
- 6 comprising:
- 7 a step to compute a distance between corresponding symbolic
- 8 feature values of said two items based on an overall similarity of
- 9 classification of all instances for each possible value of said
- 10 symbolic feature values; and
- a step to aggregate the distances between each of said
- 12 symbolic features values to determine the closeness of said two
- 13 items.
 - 1 22. (Original) A system for assigning an item to one or more
 - 2 groups of items, each of said items characterized by at least one
 - 3 symbolic feature, comprising:
 - a memory for storing computer readable code; and
- a processor operatively coupled to said memory, said processor
- 6 configured to:
- 7 compute a distance between corresponding symbolic feature
- 8 values of said item and at least one item in each of said groups,
- 9 said distance based on an overall similarity of classification of

- 10 all instances for each possible value of said symbolic feature
- 11 values;
- 12 aggregate the distances between each of said features
- 13 values to determine the closeness of said item and at least one
- 14 item in each of said groups; and
- assign said item to said group associated with a minimum
- 16 distance value.
 - 1 23. (Original) An article of manufacture for assigning an item
 - 2 to one or more groups of items, each of said items characterized by
 - 3 at least one symbolic feature, comprising:
 - 4 a computer readable medium having computer readable code
 - 5 means embodied thereon, said computer readable program code means
 - 6 comprising:
 - 7 a step to compute a distance between corresponding symbolic
 - 8 feature values of said item and at least one item in each of said
 - 9 groups, said distance based on an overall similarity of
- 10 classification of all instances for each possible value of said
- 11 symbolic feature values;

a step to aggregate the distances between each of said

features values to determine the closeness of said item and at

least one item in each of said groups; and

a step to assign said item to said group associated with a

16

minimum distance value.

APPENDIX B

Evidence on Appeal

None

APPENDIX C

Related Proceedings of Appeal

None